


TLFP Series 14-7

Multi-Directional Corrosion Barrier




Corrosion Liner Laminated To A PTFE/Fiberglass Composite Engineered For Wet And Corrosive Exposure:

TLFP 14-7 is a 0.009" (0.23mm) multi-directional PTFE material that is laminated to a T1400 load bearing component. The multi-directional PTFE is capable of resisting the stress-cracking caused by flexing and severe temperature fluctuation in expansion joint applications. The multi-directional strength and durability of TLFP 14-7 allows it to function as a thick PTFE barrier for corrosive chemicals while maintaining a crack-free and flexible surface. The toughness of the multi-directional PTFE is proven by the successful performance of the material in many industrial applications as a "stand-alone" product.




Thorburn's TLFP is made from 100% Multi-Directional PTFE resins which make it virtually chemically inert. The thermal stability of PTFE provides service temperatures up to 600°F.

Multi-Directional PTFE Technology:



Breakthrough technology now permits thick PTFE liners to be used in expansion joint service without the fear of stress cracking due to severe operating conditions. Referring to the chart on the right, multi-directional PTFE is a different perfluoroplastic altogether.



This cross section photo with individually colored plies illustrates the multiple plies used to create TLFP 14-7 expansion joint material

TLFP 14-7	
Weight	60 oz/yd ² (2035 g/m ²)
Thickness	0.047" (1.2 mm)
Width	56" (1422 mm) to 59" (1498 mm); Special Widths Available
Tensile Strength (Warp)	1200 lbs/in (10724 N/50 mm)
Tensile Strength (Fill)	1200 lbs/in (10724 N/50 mm)
Construction Materials	Woven Fiberglass; Fluoropolymer Resins
Upper Use Temperature	600°F (316°C) Continuous

Information above is supplied in good faith and is based on information currently available. Thorburn Flex Inc makes no warranties, either expressed or implied, including any warranties for fitness or use for a particular purpose, unless expressly set forth.

THORBURN FLEX - Canada
165 Oneida, Pointe-Claire, Quebec
Canada, H9R 1A9

Tel: +1-514-695-8710
Fax: +1-514-695-1321

1-800-363-6613 (Toll Free North America)
sales@thorburnflex.com

